

# 1 ☐ EECS 122, Lecture 29

Today's Topics:

Brief Intro to Security

Comprehensive Review

Kevin Fall, [kfall@cs.berkeley.edu](mailto:kfall@cs.berkeley.edu)

## 2 ☐ Network Security

- You would somehow like to have your data (or that of others) be secure. This often means you want to:
  - know who really sent it
  - know nobody else read it
- More specifically, protect from:
  - eavesdropping, masquerading, replay, traffic analysis, exploit-based attacks, denial-of-service

## 3 ☐ Protecting Yourself

- These attacks are often classified as
  - Active:
    - somebody actually generates or modifies network traffic
    - easier to detect, harder to prevent
  - Passive:
    - somebody just collects and analyses network traffic
    - harder to detect, easier to prevent

## 4 ☐ Common Approaches to Security

- One type of approach is based on physical security
  - usually expensive and of limited scope
  - may provide the best assurances

- Other (more common) approaches
  - hide your data somehow
    - just don't tell ("security through obscurity")
    - scramble it using some math (cryptography)!

## 5 Cryptography

- Cryptographers develop mathematical codes to hide or sign data
- Cryptanalysts attempt to compromise the codes developed by the cryptographers
  - Cryptographers job is usually to find a thought-to-be hard mathematical problem and develop a coding scheme based on it
  - Cryptanalysts job is usually to find a flaw (not always with the math, but often with the initial assumptions!)

## 6 Basic Cryptographic Concepts

- E: encryption function, D: decryption function, M: cleartext
- K and K' are called keys (bit strings), where K may be equal to K' (called shared keys)

## 7 The Main Issues

- For the cryptographer, the main issues:
  - choice of the transformation (D and E)
    - is the underlying mathematical basis efficient for decoding and encoding with keys and hard without them?
    - do you publish the algorithm or not?
  - generation and distribution of keys
    - might like to use random numbers, but computers aren't exactly random devices

- how do you get a secret from one person to another if you don't already have keys!?

## 8 ☐ The Main Issues

- For the cryptanalyst, the main issues:
  - what is already known?
    - algorithm, plaintext-ciphertext pairs, any information about generation of the keys
  - types of attacks
    - ciphertext only (freq analysis, brute force)
    - known plaintext
    - chosen plaintext

## 9 ☐ Secret Key Functions

- generally a single key [symmetric] shared among parties ( $K=K'$ ); (still must be distributed somehow)
- rekeying is common, distributed in-band
- example uses:
  - challenge/response authentication
  - secure storage in insecure media
  - cryptograph checksums

## 10 ☐ Public Key Functions

- Fascinating class of functions using more than 1 key (usually 2) [asymmetric]
  - public keys usually published
  - private keys are kept secret
  - they are mathematically related
- Provides auth and/or privacy:
  - $E(M, \text{priv}(A)) \rightarrow$  signed by A
  - $E(M, \text{pub}(A)) \rightarrow$  only A can read it
  - $E(E(M, \text{priv}(A)), \text{pub}(B)) \rightarrow$  from A to only B

## 11 ☐ Hashes and Message Digests

- Essentially one-way “digests” of messages. With msg M, function H:
  - hard: find different M, M' where  $H(M)=H(M')$
  - hard: given H(M), find M
  - easy: given M, produce H(M)
- Common example is MD5
  - hashes arbitrarily-long messages to 128-bit signature (RFC1321)
  - used for file verification, IPSEC, etc

## 12 ☐ The Basics of DES

- 56-bit keys, 64-bit block cypher, key usually expressed as 56+8 parity bits
  - not really long enough; why chosen?
  - Estimated 3DES is  $2^{56}$  times better
- symmetric, single-key
  - requires exchange of key
  - (maybe use public key for exchange)
- reasonably fast (de)crypt functions

## 13 ☐ The Basics of DES (cont'd)

- How it works (in a nutshell)
  - permute (shuffle) the 64 bits
  - using the 56-bit key, take 16 different 48-bit subsets of the 56-bit key as “per-round” keys
  - the input to each round is the output of the previous one, plus the 48-bit round key
  - swap the two 32-bit halves, then permute them (inverse of initial permutation)
- Details start on p. 372 in text

## 14 ☐ The Basics of RSA

- can be used for encryption and signing
- asymmetric “public-key” cryptography, using 512 bits (or more) for key
- how to start it off
  - pick big primes  $p, q$ ; form  $n=pq$ ; create an encryption key  $e$  such that  $e$  and  $(p-1)(q-1)$  are relatively prime [only comm. factor is 1]
  - decryption key  $d=1/e \pmod{(p-1)(q-1)}$ ; the inverse of  $e$  in  $\pmod{(p-1)(q-1)}$

### 15 ☐ The Basics of RSA (cont'd)

- Public key is  $\{e,n\}$ , private key is  $\{d,n\}$ ;  $p,q$  no longer needed but must not be disclosed
- With a message  $m$  and ciphertext  $c$ :
  - Encryption:  $c = m^e \pmod n$
  - Decryption:  $m = c^d \pmod n$
  - works because  $m^{(ed)} = m \ \& \ m < n$  (reqd)
- If you can factor  $n$  (to get  $p,q$ ), you can break RSA, but we think this is hard

### 16 ☐ Random Numbers

- Cryptographic exchanges often involve the use of random numbers (session keys)
- computers typically produce pseudorandom numbers, initialized by a random number *seed*
  - completely predictable given initial conditions, numbers merely look random
  - sometimes use human input (typing) as a seed to a RNG, or some other device

### 17 ☐ Random Number Generation

- The RNG has been a key failure in some otherwise

decent systems:

- too small (16 random bits->64K keys)
- using the clock, which doesn't increment fast enough (not that large a space to search)
- divulging the seed

- See RFC1750

18 ☐ In the first half of the semester...

- Networking concepts
  - remote access to resources
  - controlled sharing
    - multiplexing: TDM, Stat Mux
  - protocols and layering
    - ISO reference model, encapsulation
    - service model, error detection
    - end-to-end argument
    - soft state

19 ☐ In the first half of the semester...

- Development of the Internet
  - interconnection of heterogeneous networks
  - simple best-effort service model
  - fully-connected graph of hosts (routing)
- Internet scaling issues
  - use of hierarchies in routing, addresses, DNS
  - use of caching in DNS

20 ☐ In the first half of the semester...

- Direct-link networks
  - signals, modulation, error detection
  - best-effort delivery between attached stations
  - possible error correction using codes
  - MAC protocols, Ethernet

21 ☐ In the first half of the semester...

- The Internet Protocol
  - IP service model
    - best-effort datagram model
    - error detection in header only
    - consistent, abstract packet, addressing
    - routing
    - signaling (ICMP)
    - multicasting, IGMP, multicast routing
    - IP futures with IPv6

22 ☐ And in the second half...

- Routing Protocols
  - interior and exterior versions
  - distance vector
  - link state
- Internet Scaling Issues
  - CIDR
  - IPv6 / very large addresses

23 ☐ And in the second half...

- The Transport Layer
  - access to processes/endpoints, ports
- User Datagram Protocol (UDP)
  - best-effort datagram service
  - error detection, no correction, pseudoheader
- Transport Control Protocol (TCP)
  - reliable stream service
  - error detection/correction
  - flow and congestion control

24 ☐ And in the second half...

- How to achieve reliability
  - ARQ, ACKs, retransmission
  - Stop & Wait, performance
  - the bandwidth-delay product
  - go-back-n, window-based protocols
  - retransmission timers
  - types of ACKs/NACKs, dup ACKs
  - window-based flow control

25 ☐ And in the second half...

- Introduction to Congestion
  - congestion and congestion collapse
  - implicit/explicit congestion notification
  - bw-product as ideal window size
- Queuing and Scheduling
  - FIFO/FCFS, burst loss
  - Fair Queuing and Round-Robin
  - Random Early Detection (RED)

26 ☐ And in the second half...

- Congestion control
  - closed versus open-loop
  - host vs network enforcement
  - effectiveness, fairness, fairness index
- Congestion Control in TCP
  - slow start & congestion avoidance
  - fast retransmit
  - RTT estimation and timeout, Karn algorithm
  - silly window syndrome, Nagle algorithm

27 ☐ And in the second half...

- Connection Management in TCP

- bi-directional connections, 4-duples
- SYN 3-way handshake, FIN exchange
- initial sequence numbers
- Some Implementation Issues
  - user vs kernel space
  - buffers
  - lookup maps/tables
  - event management, timers

28 ☐ And in the second half...

- Introduction to the Telephone Network
  - circuit switching, calls, set-up/tear-down
  - the regulatory environment
  - basic structure
  - TDM, pleisiochronous operation, justification
  - SONET
  - data/control separation, signaling
  - CCIS and SS7
  - routing: DNHR, metastability, RTNR

29 ☐ And in the second half...

- Introduction to ATM
  - asynchronous operation, VC approach
  - cells and reasons for them
  - framing and adaptation layers, AAL5
  - issues in IP over ATM

30 ☐ And in the second half...

- Quality of Service
  - application types (elastic and inelastic)
  - traffic descriptors
  - leaky/token buckets and regulation

- max-min fairness
- performance bounds, delay distribution
- choices in scheduler design
- scheduling and packet drop strategies
  - GPS, WRR, DRR, PGPS/WFQ, VC, EDD

31 ☐ And in the second half...

- Real-world QoS examples
  - ATM QoS
    - CBR, VBR, ABR, UBR services
    - PCR, SCR, MBS, MCR traffic parameters
    - CDV (T), maxCTD, CLR QoS parameters
    - admission control, equivalent capacity (not really ATM specific per-se)
  - Internet QoS
    - IntServ: TSPECS, controlled load, guaranteed
    - DiffServ: general model, AF and EF PHBs
    - RSVP